

Hyperbolic Functions

Hyperbolic Functions arose from comparison of the area of a semicircular region with the area of a region under a hyperbola:

$$\int_{-1}^1 \sqrt{1-x^2} dx = \frac{1}{2}[x\sqrt{1-x^2} + \arcsin x]$$

$$\int_{-1}^1 \sqrt{1+x^2} dx = \frac{1}{2}[x\sqrt{1+x^2} + \sinh x]$$

Definitions:

$$\sinh x = \frac{e^x - e^{-x}}{2}$$

$$\operatorname{csch} x = \frac{1}{\sinh x}, x \neq 0$$

$$\cosh x = \frac{e^x + e^{-x}}{2}$$

$$\operatorname{sech} x = \frac{1}{\cosh x}$$

$$\tanh x = \frac{\sinh x}{\cosh x}$$

$$\operatorname{coth} x = \frac{1}{\tanh x}, x \neq 0$$

Identities:

$$\cosh^2 x - \sinh^2 x = 1$$

Proof:

$$2\sinh x \cosh x = \sinh 2x$$

Proof:

Derivatives and Integrals of Hyperbolic Functions:

$$\frac{d}{dx}[\sinh u] = (\cosh u)u'$$

$$\int \cosh u du =$$

$$\frac{d}{dx}[\cosh u] = (\sinh u)u'$$

$$\int \sinh u du =$$

$$\frac{d}{dx}[\tanh u] = (\operatorname{sech}^2 u)u'$$

$$\int \operatorname{sech}^2 u du =$$

$$1. \frac{d}{dx}[x \sinh x - \cosh x] =$$

$$2. \frac{d}{dx}[\ln(\cosh x)] =$$

3. $\int \cosh^2(x-1) \sinh(x-1) dx =$

4. $\int \frac{\cosh \sqrt{x}}{\sqrt{x}} dx =$

5. Power cables are suspended between two towers, forming the catenary shown below. The equation for this catenary is

$$y = a \cosh \frac{x}{a}$$

The distance between the two towers is $2b$. Find the slope of the catenary at the point where the cable meets the right-hand tower.