

Sum and Difference Formulas Video Lecture

Section 7.5

Course Learning Objectives:

- 1) Demonstrate an understanding of trigonometric functions and their applications.
- 2) Verify identities.

Weekly Learning Objectives:

- 1) Use sum and difference formulas to find exact values.
- 2) Use sum and difference formulas to establish identities.
- 3) Write expressions of the form $A\sin x + B\cos x$ as a single sine function.

Sum and Difference Formulas

We will derive identities involving the trigonometric functions of the sum and difference of numbers/angles.

Recall that $\cos(\alpha + \beta) \neq \cos \alpha + \cos \beta$. Convince yourself by choosing a value for α and a value for β that will show that $\cos(\alpha + \beta) \neq \cos \alpha + \cos \beta$.

In general it is true that **$\text{trig}(a \pm b) \neq \text{trig}(a) \pm \text{trig}(b)$**

Derivation of identity for $\cos(\alpha + \beta)$

$$\begin{array}{ll} P_0 (1, 0) & Q_0 (\cos(-\alpha), \sin(-\alpha)) \\ P_1 (\cos(\alpha + \beta), \sin(\alpha + \beta)) & Q_1 (\cos \beta, \sin \beta) \end{array}$$

$$\cos(\alpha - \beta) =$$

$$\sin(\alpha + \beta)$$

$$\sin(\alpha - \beta)$$

$$\tan(\alpha + \beta)$$

$$\tan(\alpha - \beta)$$

The following identities need to be memorized.

Sum & Difference Formulas

$$\cos(\alpha + \beta) = \cos \alpha \cos \beta - \sin \alpha \sin \beta$$

$$\cos(\alpha - \beta) = \cos \alpha \cos \beta + \sin \alpha \sin \beta$$

$$\sin(\alpha + \beta) = \sin \alpha \cos \beta + \cos \alpha \sin \beta$$

$$\sin(\alpha - \beta) = \sin \alpha \cos \beta - \cos \alpha \sin \beta$$

$$\tan(\alpha + \beta) = \frac{\tan \alpha + \tan \beta}{1 - \tan \alpha \tan \beta}$$

$$\tan(\alpha - \beta) = \frac{\tan \alpha - \tan \beta}{1 + \tan \alpha \tan \beta}$$

Examples:

1. Find the exact value for $\sin\left(\frac{\pi}{12}\right)$.

2. Find the exact value for $\cos 105^\circ$.

3. Find the exact value for $\sec\left(\frac{7\pi}{12}\right)$.

4. Find the exact value for $\cos 40^\circ \cos 10^\circ + \sin 40^\circ \sin 10^\circ$.

5. Prove the identities

$$\cos\left(\frac{\pi}{2} - u\right) = \sin u \quad \text{and} \quad \sin\left(\frac{\pi}{2} - u\right) = \cos u$$

6. Prove the identity $\cos(x + y) + \cos(x - y) = 2 \cos x \cos y$.

7. Prove the identity $\cos\left(\frac{3\pi}{2} + \theta\right) = \sin \theta$

8. If $f(x) = \sin x$, show that

$$\frac{f(x+h) - f(x)}{h} = \sin x \left(\frac{\cos h - 1}{h}\right) + \cos x \left(\frac{\sin h}{h}\right)$$

Write an expression in terms of sine for $\frac{1}{2} \sin x + \frac{\sqrt{3}}{2} \cos x$.

In general, if A and B are real numbers, then


$A \sin x + B \cos x = k \sin(x + \phi)$ where $k = \sqrt{A^2 + B^2}$ and

ϕ satisfies $\cos \phi = \frac{A}{\sqrt{A^2 + B^2}}$ and $\sin \phi = \frac{B}{\sqrt{A^2 + B^2}}$

Proof:

Examples:

9. The following is a graph $f(x) = 3 \sin x - 6 \cos x$ using technology.



Does it look like a variation of the sine function?

What is the period?

Amplitude?

Phase Shift?

10. Write the expression $3 \sin x - 6 \cos x$ in terms of the sine only

Regarding the function in example 9,

What is the period?

Amplitude?

Phase Shift?