

## Bibliography of Cimicoidea

compiled 1979 by Laurine Ford

1. Amyot, C.J.B. and A. Serville. 1843. Histoire Naturelle des Insectes Hemipteres. Paris: Fain & Thunot. 676pp.
2. Anderson, N.H. 1962a. Anthocoridae of the Pacific Northwest with notes on distributions, life histories and habits (Heteroptera). Can. Entomol. 94:1325-1334.
3. Anderson, N.H. 1962b. Growth and fecundity of *Anthocoris* spp. Reared on various prey. Entomol. Exp. Appl. 5:40-52.
4. Anderson, N.H. 1962c. Bionomics of six species of *Anthocoris* (Heteroptera: Anthocoridae) in England. Trans. R. Entomol. Soc. Lond. 114(3):67-95.
5. Anderson, N.H. 1962d. Studies on overwintering of *Anthocoris* (Hemiptera, Anthocoridae). Entomol. Mon. Mag. 48:1-3.
6. Anderson, N.H. and L.A. Kelton. 1963. A new species of *Anthocoris* from Canada, with distribution records for three other species (Heteroptera: Anthocoridae). Can. Entomol. 95: 439-442.
7. Bergroth, C. 1916. New and little-known heteropterous Hemiptera in the United States Museum. Proc. U.S. Natl. Mus. 51(2150):215-239
8. Bergroth, E. 1924. Hemiptera from Juan Fernandez and Easter Island. Nat. Hist. Juan Fernandez Isl. and Easter Isl. ed. By Dr. C. Skottsberg.
9. Bernard, M.R. 1970. *Leptocimex boueti* (Brumpt 1910): description complementaire des images male et femelle. Cah. O.R.S.T.O.M. Ser. Entomol. Med. 8:107-112.
10. Biliotti, E. and J. Riom. 1967a. Faune corticale du pin maritime: *Elatophilus nigricornis* (Hemiptera: Anthocoridae). Ann. Soc. Entomol. France 3(4):1102-1108.
11. Blatchley, W.S. 1925. Some additional new species of Heteroptera from the southern United States, with characterization of a new genus. Entomol. News 36: 45-52.
12. Blatchley, W.S. 1926. Heteroptera or true bugs of Eastern North America, with especial reference to the faunas of Indiana and Florida. Indianapolis: Nature Publishing Co., 1116pp.
13. Blatchley, W.S. 1928. Two new anthocorids and a new microphysid from Florida (Heteroptera). Entomol. News 39: 85-88.
14. Blatchley, W.S. 1934. Notes on a collection of Heteroptera taken in winter in the vicinity of Los Angeles, California. Trans. Am. Entomol. Soc., 60:1-16.
15. Blote, H.C. 1929. "Hemipteren" in D.L. Uyttenboogaart et al. Contributions to the knowledge of the fauna of the Canary Islands, Part III. Tijdschr. Entomol. 72: 154-168.
16. Breddin, G. 1901. Die Hemipteren von Celebes. Sond. A.D. Abhand. Der Naturfor. Gesell. Zu Halle. 24:1-213.
17. Britten, H. 1939. *Triphleps laevigata* (Hemiptera, Anthocoridae) new to Britain. Entomol. Mon. Mag. 75:29-31.
18. Brunner, J.F. and E.C. Burts 1975. Searching behavior and growth rates of *Anthocoris nemoralis* (Hemiptera: Anthocoridae), a predator of the pear psyllid *Psylla pyricola*. Ann. Entomol. Soc. Am. 68(20): 311-315.

19. Buchanan-White, F. 1878. Contributions to a knowledge of the Hemipterous fauna of St. Helena and speculations on its origin. Proc. Zool. Soc. London 444-477.
20. Butler, E.A. 1923. A Biology of the British Hemiptera-Heteroptera. London: H.F. & G. Witherby. 682pp.
21. Carayon, J. 1950. Caracteres anatomiques et position systematique des hemipteres Nabidae. Bull. Mus. Hist. Nat. 22(2):98.
22. Carayon, J. 1950b. Observations sur la biologie des hemipteres microphysides. Bull. Mus. Natl. Hist. Nat. 21(2): 710-716.
23. Carayon, J. 1952. Organe de Ribaga et fecondation hemocoelienne chez les *Xylocoris* du groupe *galatinus* (Hem. Anthocoridae). C.R. Seances Acad. Sci. 236:1099-1101.
24. Carayon, J. 1953. Observations sur *Scoloposcelis obscurella* (Zett.) (Hemiptera, Anthocoridae) espece nordique, nouvelle pour la France, ou elle est une relictte glaciare. Rev. Sci. Nat. Auvergne 65-72.
25. Carayon, J. 1954a. Organes assumant les fonctions de la spermatheque chez divers Heteropteres. Bull. Soc. Zool. France 79(2-3):189-197.
26. Carayon, J. 1954b. Deux genres nouveaux d'hemipteres Anthocoridae du Bresil, representant une tribu nouvelle. Bull. Mus. Natl. Hist. Nat. 26(2): 596-601.
27. Carayon, J. 1956a. Trois especes africaines de *Physopleurella* (Hemiptera. Anthocoridae) dont l'une presente un nouveau cas de viviparite pseudoplacentaire. Bull. Mus. Natl. Hist. Nat. 28(2):102-110.
28. Carayon, J. 1956b. Anthocoridae Scolopini nouveaux d'Afrique tropicale (Hemiptera. Heteroptera). Bull. Mus. Natl. Hist. Nat. 28(2): 183-190.
29. Carayon, J. 1957. Introduction a l'etude des Anthocoridae omphalophores (Hemiptera. Heteroptera). Ann. Soc. Entomol. France 126:159-196.
30. Carayon, J. 1958a. Un nouvel Anthocoridae de Cote d'Ivoire (Hemiptera. Heteroptera). Bull. Mus. Natl. Hist. Nat. 30(2):153-158.
31. Carayon, J. 1958b. Quelques hemipteres Anthocoridae des Iles Mascareignes. Mem. Inst. Sci. Madagascar Ser. E9: 335-348.
32. Carayon, J. 1958c. Etudes sur les hemipteres Cimicoidea. I. Position des genres *Bilia*, *Biliola*, *Bilianella*, et *Wollastoniella* dans une tribu nouvelle (Oriini) des Anthocoridae: differences entre ces derniers et les Miridae Isometopinae (Heteroptera). Mem. Mus. Natl. Hist. Nat. Ser. A Zool. 16:141-172.
33. Carayon, J. 1961a. La viviparite chez les heteropteres. Proc. XI Int. Congr. Entomol. (Vienna) 1:711-714.
34. Carayon, J. 1961b. Hemiptera (Heteroptera): Anthocoridae. In Hanstrom, Brink and Rudebeck (eds.) South African Animal Life 8:533-557.
35. Carayon, J. 1971a. *Lyctocoris* (*Paralyctocoris*) *menieri*, Anthocoridae nouveau des Isles Canaries (Hemiptera). Bull. Soc. Entomol. France 76:161-165.
36. Carayon, J. 1972b. Caracteres systematiques et classification des Anthocoridae (Hemiptera). Ann. Soc. Ent. France (N.S.) 8(2):309-349.
37. Carayon, J. 1972c. Le genre *Xylocoris*: Subdivision et especes nouvelles (Hemiptera. Anthocoridae). Ann. Soc. Entomol. France 8(3):579-606.

38. Carayon, J. 1974a. Etude sur les Hemipteres Plokiophilidae. Ann. Soc. Entomol. France 10(3): 499-525.
39. Carayon, J. 1974b. Insemination traumatique heterosexuelle et homosexuelle chez *Xylocoris maculipennis* (Hemiptera, Anthocoridae). C.R. Acad. Sci. Paris. 278(D):2803-2806.
40. Carayon, J. 1974c. Formes nouvelles d'endosymbiose chez les Hemipteres. C.R. Acad. Sci. Paris 278(D):1495-1498.
41. Carayon, J. 1975. Insemination extra-genitale traumatique. In: P.P. Grasse (ed.), Traite de Zool. 8:351-390.
42. Carayon, J. 1977. Insemination extra-genitale traumatique. In: P.P. Grasse (ed.) Traite de Zoologie. 8:351-390.
43. Carayon, J. and E. Wagner 1962. Sur *Brachysteles* Fieber et *Xyloecocoris* Reuter (Het. Anthocoridae). Bull. Soc. Entomol. France 67: 183-188.
44. Carayon, J. and F. Ramade 1962. Note sur la presence en France et en Italie de *Montandoniola moraguesi* (Puton) avec quelques observations sur cet heteroptere anthocoride. Bull. Soc. Entomol. France 67: 207-211.
45. Carayon, J. and J. Pericart. 1969. A propos de *Scoloposcelis phryganophila* (J. Sahlberg, 1920), observations sur le genre *Scoloposcelis* (Heteroptera, Anthocoridae). Not. Entomol. 49: 257-267.
46. Carayon, J. and J.-R. Steffan 1959. Observations sur le regime alimentaire des *Orius* et particulièrement d'*Orius pallidicornis* (Reuter), (Het. Anthocoridae). Cah. Nat. 15:53-63.
47. Carayon, J. and R.L. Usinger 1965. A new genus of neotropical Anthocoridae that resembles the bed bug (Hemiptera). Pan-Pac. Entomol. 41: 200-204.
48. Carayon, J. and S. Myamoto 1960. Espèces nouvelles ou peu connues du genre *Bilia* Distant trouvees au Japon et a Formose (Heteroptera, Anthocoridae). Mushi 33: 19-34.
49. Carvalho, J.C.M. 1952a. On some Anthocoridae from Angola (Hemiptera). Publ. Cult. Cia. Diamantes Angola 15:19-20.
50. Champion, G.C. 1901. Insecta. Rhyachota. Hemiptera-Heteroptera. Fam. Anthocoridae. Biologia Centrali-Americana. 1897-1901.
51. China, W.E. 1926. A new species of *Triphleps* (Heteroptera, Anthocoridae) preying on the eggs of *Heliothis obsoleta* H.-S. in Queensland. Bull. Entomol. Res. 16:361-362.
52. China, W.E. 1933. A new genus and species of Anthocoridae (Hemiptera) from New Zealand. Ann. Mag. Nat. Hist. (10)11: 514-518.
53. China, W.E. 1938. Die Arthropodenfauna von Madeira nach den Ergebnissen der Reise von Prof. Dr. C. Lundblad, Juli-August 1935. III. Terrestrial Hemiptera (Hemiptera and Homoptera Auchenorrhyncha). Ark. Zool. 30(2): 1-68.
54. China, W.E. 1953. A new subfamily of Microphysidae. Ann. Mag. Nat. Hist. 12(6): 67-74.
55. China, W.E. 1962. Hemiptera-Heteroptera collected by the Royal society expedition to South Chile 1958-1959. Ann. Mag. Nat. Hist. 5(13): 705-723.
56. China, W.E. and J.G. Myers 1929 A reconsideration of the classification of the Cimicoid families (Heteroptera) with the description of two new spider-web bugs. Ann. Mag. Nat. Hist. 10(3): 97-125.
57. Chu, Y.I. 1969. On the bionomics of *Lyctocoris beneficus* (Hiura) and *Xylocoris galactinus* (Fieber), (Anthocoridae, Heteroptera). J. Fac. Agric. Kyushu Univ. 15:1-136.

58. Cmoluchowa, A. 1968. *Xylocoris (Stictosynechia) lativentris* (J. Sahlberg) Heteroptera, Anthocoridae in Pologne. Ann. Univ. Mariae Curie-Sklodowska Sect. C. Biol. 23(17): 277-281.
59. Cobben, R.H. 1958. Einige bemerkenswerte Wanzenfunde aus den Niederlanden (Hemiptera. Heteroptera). Natuurh. Maandbl. 47:15-21.
60. Cobben, R.H. 1968. Evolutionary Trends in Heteroptera, Part I. Eggs, architecture of the shell, gross embryology and eclosion. Centre Agr. Publ. Document., Wageningen. 475pp.
61. Collyer, E. 1967. On the ecology of *Anthocoris nemorum* (L.) (Hemiptera. Heteroptera). Proc. R. Entomol. Soc. Ser. A 42(7):107-118.
62. Davis, N.T. 1961. Morphology and phylogeny of the Reduvidae. Pt. II. Wing Venation. Ann. Ent. Soc. Amer. 54: 340-354.
63. Davis, N.T. 1966. Contributions to the morphology and phylogeny of the Reduvidae. Pt. III. Male and female genitalia. Ann. Ent. Soc. Amer. 59(5): 911-924.
64. Davis, N.T. and R.L. Usinger 1970. The biology and relationships of the Joppeicidae. Ann. Ent. Soc. Amer. 63(2): 577-587.
65. Decoursey, R.M. 1971. Keys to the families and subfamilies of the nymphs of North American Hemiptera-Heteroptera. Proc. Entomol. Soc. Wash. 73: 413-428.
66. Delamare-Deboutteville, C. and R. Paulian. 1952. Recherches sur la faune des nids et des terriers en Basse Cote d'Ivoire. Encycl. Biogeogr. Ecol. Paris 8: 1-116.
67. Dempster, J.P. 1968. Intra-specific competition and dispersal as exemplified by a psyllid and its anthocorid predator. Insect Abundance (Publ. of the R. Entomol. Soc.) pp. 8 – 17.
68. Dicke, F.F. and J.L. Jarvis. 1962. The habits and seasonal abundance of *Orius insidiosus* Say (Hemiptera-Heteroptera: Anthocoridae) on corn. J. Kans. Entomol. Soc. 35(3): 339-344.
69. Distant, W.L. 1910. Rhynchota. Vol. 5. Heteroptera: Appendix. The Fauna of British India including Ceylon and Burma. London: Taylor and Francis, 362 pp.
70. Distant, W.L. 1913. Rhynchota, suborder Heteroptera. Trans. Linn. Soc. Lond. 16: 139-191.
71. Dougherty, V. 1979. Revision of the New World Ectriceini. Ph.D. dissertation. University of Connecticut.
72. Drake, C.J. 1922. Heteroptera in the vicinity of Cranberry Lake. N.Y. State Coll. For. Syracuse Tech. Publ. 16:54-86.
73. Drake, C.J. 1926. Notes on American Anthocoridae with descriptions of new forms. Proc. Biol. Soc. Wash. 39: 33-45.
74. Drake, C.J. and H. M. Harris. 1928. *Tetraphleps canadensis* Provancher, a true Tetraphleps (Hemiptera). Can. Entomol. 60:50.
75. Drake, C.J. and J.L. Herring. 1964. The genus *Nidicola* (Hemiptera: Anthocoridae). Proc. Biol. Soc. Wash. 77:53-64.
76. Elov, E.S. 1976. Bugs of the family Anthocoridae (Heteroptera) from Central Asia and the Kazakh S.S.R. Entomol. Rev. 55(2): 369-380.
77. Esaki, T. 1931. Undescribed Hemiptera from Japan and Formosa. Annot. Zool. Jpn. 13: 259-269.
78. Ewing, H.E. 1915. The common red spider, or spider mite. Agric. Exp. Stn. Oregon Bull. 121: 1-95.
79. Fain, A. 1972. Notes sur les punaises parasites de chiropteres de la Republique du Zaire avec description de deux especes et d'une sous-espece nouvelles. Rev. Zool. Bot. Afr. 85(3-4): 188-202.

80. Fain, A. and P. Elsen. 1972. Un nouveau cimicide du Cameroun: *Stricticimex puylearti* sp.n. Rev. Zool. Bot. Afr. 85(1-2): 142-146.
81. Fernando, W. 1960. New species of insects from Ceylon (5). Ceylon J. Sci. Biol. Sci. 3: 123-130.
82. Ferris, G.F. and R.L. Usinger. 1939. The Family Polycetenidae (Hemiptera: Heteroptera). Microentomol. 4:1-50.
83. Ferris, G.F. and R.L. Usinger. 1945. Notes and descriptions of American Polycetenidae (Hemiptera). Pan-Pac. Entomol. 21(4): 121-124.
84. Fieber, F.X. 1864. Neuere Entdeckungen in Europaischen Hemiptera. A. Gattungen. Wien Entomol. Monatsschr. 8: 65-86.
85. Fullaway, D.T. and N.L.H. Krauss. 1945. Common Insects of Hawaii. Honolulu: Tongg Publishing Co., 228 pp.
86. Fulmek, L. 1930. Zur kenntnis der Entwicklungsstadien von *Triphleps minuta* L. (Anthocoridae, Hemiptera-Heteroptera). Z. Wiss. Insektbiol. 25: 82-88.
87. Funasacki, G.Y. 1966. Studies on the life cycle and propagation technique of *Montandoniola moraguesi* (Puton) (Heteroptera: Anthocoridae). Proc. Hawaii Entomol. Soc. 19(2): 209-211.
88. Ghauri, M.S.K. 1964. Notes on the Hemiptera from Pakistan and adjoining areas. Ann. Mag. Nat. Hist. 13(7): 673-688.
89. Ghauri, M.S.K. 1972. The identity of *Orius tantillus* (Motsch.) and notes on other oriental Anthocoridae (Hemiptera, Heteroptera). J. Nat. Hist. 6(4): 409-421.
90. Gollner-Scheidig, U. and J. Pericart. 1969. *Elatophilus* (Baerensprung) 1858: the problem created by the discovery of the type specimen after the designation of a neotype (Insecta: Heteroptera). Bull. Zool. Nomenclature 25(6): 235-236.
91. Gomez-Menor G. 1956a. Antocoridos de Espana y Marruecos. Con. Sup. De Invest. Cientificas pp. 1-136.
92. Gomez-Menor G.J.M. 1956b. Contribution to the knowledge of the Anthocoridae of Cataluna. Bol. Soc. Esp. Hist. Nat. (secc. Biol.) 54: 107-112.
93. Gravenstein, W.H. 1945. Description of two new aberrations of Hemiptera. Tijdschr. Entomol. 88:122.
94. Gross, R.F. 1954. Revision of Anthocoridae from Australia and adjacent Pacific regions. Part I. Rec. S. Aust. Mus. 11: 129-164.
95. Gross, R.F. 1955. A revision of the flower bugs (Heteroptera. Anthocoridae) of the Australian and adjacent Pacific regions. Part II. Rec. S. Aust. Mus. 11: 409-422.
96. Gross, R.F. 1957. Revision of the flower bugs of the Australian and adjacent Pacific regions. Part III. Rec. S. Aust. Mus. 13: 131-142.
97. Gyllensvard, N. 1968. Neues uber Hemiptera der Kanarischen Inseln. Ark. Zool. 20(26): 553-564.
98. Haeselbarth, E., J. Segerma, and F. Zumpt. 1966. The Arthropod parasites of vertebrates in Africa south of the Sahara (Ethiopian region). Volume III (Insecta excluding Phthiraptera). S. Afr. Inst. Med. Res. 13(52): 1-283.
99. Hafez, M., Mohammed Hemed, K. El-Din, and A.I. Ezz. 1969. Comparative studies on the morphology of the adult females of *Orius albidipennis* (Reuter) and *laevigatus* (Fieb.) (Hemiptera-Heteroptera: Anthocoridae). Bull. Soc. Entomol. Egypte 52: 505-511.

100. Hall, D.W. 1951. Observations on the distribution, habits, and life history of the bug *Piezostethus galactinus* (Fieb.). Entomol. Mon. Mag. 87: 45-52.
101. Harris, H.M. and C.J. Drake. 1941. A new genus and species of Anthocoridae. Iowa State Coll. J. Sci. 15(3): 343-344.
102. Henry, T.J. and J. L. Herring. 1978. A new genus and species of Cardiastethini from Peru (Hemiptera: Anthocoridae). Proc. Entomol. Soc. Wash. 80(4): 520-523.
103. Herring, J.L. 1965. The status of *Amphiareus* Distant, *Buchananiella* Reuter and *Poronotellus* Kirkaldy. Proc. Entomol. Soc. Wash. 67(3): 202-203.
104. Herring, J.L. 1966a. The genus *Orius* of the western hemisphere. Ann. Entomol. Soc. Am. 59: 1093-1109.
105. Herring, J.L. 1966b. The Anthocoridae of the Galapagos and Cocos Is. (Hemiptera). Proc. Entomol. Soc. Wash. 68: 127-130.
106. Herring, J.L. 1966c. The correct name for an anthocorid predator of the Cuban laurel thrips. Proc. Entomol. Soc. Wash. 68(2): 93.
107. Herring, J.L. 1967. Heteroptera: Anthocoridae. Insects Micronesia 7: 391-414.
108. Herring, J.L. 1976. Keys to the genera of Anthocoridae of America north of Mexico, with a description of a new genus (Hemiptera: Heteroptera). Fla. Entomol. 59(2): 143-150.
109. Hesse, A.J. 1940. A new species of *Triphleps* (Hemiptera-Heteroptera, Anthocoridae) predaceous on the citrus thrips (*Scirtothrips aurantii* Faure) in the Transvaal. J. Entomol. Soc. S. Afr. 3: 66-71.
110. Hesse, A.J. 1947. A remarkable new dimorphic Isometopid and two other new species of Hemiptera predaceous upon the red scale of citrus. J. Entomol. Soc. S. Afr. 10:31-45.
111. Hill, A.R. 1957. A key to North American members of the genus *Anthocoris* Fallen (Hemiptera: Anthocoridae). Pan-Pac. Entomol. 33: 171-174.
112. Hill, A.R. 1965. The bionomics and ecology of *Anthocoris confusus* Reuter in Scotland. I. The adult and egg production. Trans. Soc. Br. Entomol. 16(11): 245-256.
113. Hill, A.R. 1968. The bionomics and ecology of *Anthocoris confusus* Reuter in Scotland. II. Life history and population changes. Trans. Soc. Br. Entomol. 18(3): 35-48.
114. Hiura, I. 1957. Description of a new species of Japanese Anthocoridae, and its biology (Hemiptera-Heteroptera). Sci. Bull. Fac. Agric. Kyushu Univ. 16: 31-40.
115. Hiura, I. 1958. Two new species of Cardiastethus from Japan (Hemiptera-Anthocoridae). Entomol. Rev. Jpn. 9: 38-40.
116. Hiura, I. 1959. Contribution to the knowledge of Anthocoridae from Japan and its adjacent territories (Hemiptera-Heteroptera). I. Bull. Osaka Mus. Nat. Hist. 11: 1-8.
117. Hiura, I. 1960. Contribution to the knowledge of Anthocoridae from Japan and its adjacent territories (Hemiptera-Heteroptera). II. Bull. Osaka Mus. Nat. Hist. 12: 43-55.
118. Hiura, I. 1966a. A new species of Anthocoridae from New Caledonia (Insecta: Heteroptera). Bull. Osaka Mus. Nat. Hist. 19: 9-11.
119. Hiura, I. 1966b. Contribution to the knowledge of Anthocoridae from Japan and its adjacent territories (Hemiptera-Heteroptera). III. Bull. Osaka Mus. Nat. Hist. 19: 29-37.
120. Hiura, I. 1967. Contribution to the knowledge of Anthocoridae from Japan and its adjacent territories (Hemiptera-Heteroptera). IV. Bull. Osaka Mus. Nat. Hist. 20: 61-63.

121. Horvath, G. 1911. Anthocoride nouveau du Dahomey. Bull. Mus. Natl. hist. Nat. 4: 216-217.
122. Hutchinson, G.E. 1934. Yale North India expedition. Report on terrestrial families of Hemiptera-Heteroptera. Mem. Conn. Acad. Arts Sci. 10: 119-146.
123. Jordan, K.H.C. 1972. 20. Heteroptera (Wanzen). Handb. Zool. 4(20): 1-113.
124. Kelton, L.A. 1963. Synopsis of the genus *Orius* Wolff in America north of Mexico (Heteroptera: Anthocoridae). Can. Entomol. 95: 631-636.
125. Kelton, L.A. 1966a. A new species of *Lyctocoris* Hahn from Mexico (Heteroptera: Anthocoridae). Can. Entomol. 98: 320-321.
126. Kelton, L.A. 1966b. Synopsis of the genus *Tetraphleps* Fieber in North America (Hemiptera: Anthocoridae). Can. Entomol. 98: 199-204.
127. Kelton, L.A. 1967. Synopsis of the genus *Lyctocoris* in North America and description of a new species from Quebec (Heteroptera: Anthocoridae). Can. Entomol. 99: 807-814.
128. Kelton, L.A. 1976a. Three new species of *Xylocoris* from North America, and a note on the status of species in the genus *Scoloposcelis* Fieber (Het.: Anthocoridae). Can. Entomol. 108(2): 193-198.
129. Kelton, L.A. 1976b. The genus *Elatophilus* Reuter in North America with descriptions of two new species (Heteroptera: Anthocoridae). Can. Entomol. 108(6): 631-634.
130. Kelton, L.A. 1977. New species of *Cardiastethus* Fieber and *Melanocoris* Champion, and new records of European *Acompocoris* Reuter and *Temnostethus* Fieber in Canada (Heteroptera: Anthocoridae). Can. Entomol. 109(2): 243-248.
131. Kelton, L.A. 1978. The Anthocoridae of Canada and Alaska; Heteroptera: Anthocoridae. Insects and Arachnids of Canada Part 4.
132. Kelton, L.A. and N.H. Anderson. 1962. New Anthocoridae from North America, with notes on the status of some genera and species (Heteroptera). Can. Entomol. 94: 1302-1309.
133. Kerzhner, I.M. 1967. On the proposed designation under the plenary powers of neotypes for *Anthocoris nigrethis* Zetterstedt 1838, *Anthocoris nigricornis* Zetterstedt 1838, and *Lygaeus pygmaeus* Fallen 1807 (Insecta: Hemiptera). Bull. Zool. Nomenclature 24: 138-140.
134. Kerzhner, I.M. and E.S. Elov. 1976. Bugs of the genus *Xylocoris* Duf. from the subgenus *Proxylocoris* Carayon (Heteroptera, Anthocoridae) of the fauna of the U.S.S.R. and adjacent countries. Entomol. Rev. 55(2): 364-368.
135. Kiritschenko, A. 1952. New and little-known Hemiptera-Heteroptera of Tadzhikistan. Trudy Zool. Inst. Akad. Nauk S.S.S.R. 10: 140-198.
136. Kiritschenko, A. 1961. Synonymical notes on Heteroptera. Acta Entomol. Mus. Natl. Prague 34: 443-444.
137. Kirkaldy, G.W. 1910. Further notes on Hemiptera, chiefly Hawaiian. Proc. Hawii Entomol. Soc. 2: 118-123.
138. Klein, J.-M. 1969a. Nouvelles punaises du Cambodge: *Crassicimex apsarae* n.sp. et *Stricticimex khmerensis* n.sp. (Hemiptera. Cimicidae). Bull. Soc. Entomol. France 74: 87-96.
139. Klein, J.-M. 1969b. *Cimex angkorae* n.sp., une nouvelle punaise du Cambodge (Hemiptera. Cimicidae). Bull. Soc. Entomol. France 74: 139-145.
140. Klein, J.-M. 1970. Cimicides du Cambodge. 3. Description des males de *Crassicimex apsarae*, *Stricticimex parvus*, et *Aphrania thnotae* n. sp. (Hemiptera, Cimicidae). Ann. Soc. Entomol. France 6: 713-719.

141. Knight, H.H. 1925. A list of Miridae and Anthocoridae from Alberta, Canada (Hemiptera). *Can. Entomol.* 57: 181-182.
142. Knight, H.H. 1935. Insects of Samoa. Part II Hemiptera. Fasc. 5 Miridae and Anthocoridae. Publication of Br. Mus. Nat. Hist. pp. 193-228.
143. Korcz, A. 1968. Preliminary investigations on the biology of *Anthocoris pilosus* Jak. (Hemiptera, Anthocoridae). *Bull. Entomol. Pologne* 38(3): 559-564.
144. Lansbury, I. 1954. *Entomol. Mon. Mag.* 90:90.
145. LeCato, G.I. and R. Davis. 1973. Preferences of the predator *Xylocoris flavipes* (Hemiptera: Anthocoridae) for species and instars of stored-product insects. *Fla. Entomol.* 56(1): 57-59.
146. LeQuesne, W.J. 1954. Studies in the British species of *Anthocoris* Fallen (Hem., Anthocoridae) including two new subspecies. *Entomol. Mon. Mag.* 90: 36-40.
147. LeQuesne, W.J. 1955. An examination of the genus *Temnostethus* Fieb. (Hemiptera, Anthocoridae) in Britain and an addition to the British list. *Entomol. Mon. Mag.* 91: 259-262.
148. LeQuesne, W.J. 1958. Taxonomic notes on the British species of *Anthocoris* Fallen (Hemiptera, Anthocoridae) and a new species from southern Europe. *Entomol. Mon. Mag.* 94: 125-127.
149. Leston, D. 1954. The eggs of *Anthocoris gallarumulmi* (Deg.) (Hemiptera, Anthocoridae) and *Monanthia humuli* (F.) (Hemiptera, Tingidae), with notes on the eggs of Cimicoidea and Tingoidea. *Entomol. Mon. Mag.* 90: 99-102.
150. Leston, D., J.G. Pendergrast and T.R.E. Southwood. 1954. Classification of the Terrestrial Heteroptera (Geocorisae). *Nature* 174: 91.
151. Lethierry, L. and G. Severin. 1896. III Heteropteres. *Catalogue Generale des Hemipteres*. Berlin: R. Friedlander & Fils, Libraires-Editeurs. 275pp.
152. Lindberg, H. 1927. Zur Kenntnis der Heteropteren-Fauna von Kamtschatka sowie der Amur – und Ussuri-Gebiete. *Acta Soc. Fauna Flora Fenn.* 56(9): 1-26.
153. Lindberg, H. 1936. Die Heteropteren der Kanarischen Inseln. *Commentat. Biol. Soc. Sci. Fenn.* 6(7): 1-43.
154. Lindberg, H. 1941. *Anthocoris pilosus* Jakowl. tagen i Jouteno som ny for Finland *Chilacis typhae* Perr. funnen i Mazmo och Ekenas. *Not. Entomol.* 20: 83.
155. Lindberg, H. 1954. Entomologische Ergebnisse der finnlandischen Kanaren-Expedition 1947-1951. No. 1: Hemiptera insularum canariensum. Systematik, Oekologie und Verbreitung der kanarischen Heteropteren und Cicadinen. *Commentat. Biol. Soc. Sci. Fenn.* 14(1): 1-304.
156. Linnaeus, C. 1758. *Systema Naturae Regnum Animale* (10<sup>th</sup> ed.) Holmiae: Laurentii Salvii. 824 pp.
157. Linnavuori, R. 1961. New Palearctic Hemiptera. *Ann. Entomol. Fenn.* 27: 8-89.
158. Linnavuori, R. 1968. On some new and interesting Hemiptera. *Suom. Hyonteistiet. Aikak.* 34: 197-200.
159. Linnavuori, R. 1951. Hemipterological observations. *Ann. Entomol. Fenn.* 17: 51-65.
160. Maa, T.C. 1964. A review of the Old World Polyctenidae (Hemiptera: Cimicoidea). *Pac. Insects* 6(3): 494-516.
161. Madsen, H.F. 1961. Notes on *Anthocoris melanocerus* Reuter as a predator of the pear psylla in British Columbia. *Can. Entomol.* 93: 660-662.



162. Malloch, J.R. 1916. *Triphleps insidiosus* Say sucking blood. Entomol. News 27: 200.
163. Marshall, G. 1930. Some observations on *Orius (Triphleps) insidiosus* (Say). J. Kans. Entomol. Soc. 3:29-32.
164. Matsumura, S. 1931. 6000 Illustrated Insects of Japan-Empire. [in Japanese]. Tokyo. 1687 pp.
165. McAtee, W.I. and J.R. Malloch. 1925. Another annectant genus (Hemiptera: Cimicoidea). Proc. Biol. Soc. Wash. 38: 145-147.
166. Miller, N.C.E. 1951. New Hemiptera-Heteroptera from Egypt. Bull. Soc. Fouad Entomol. 35: 127-131.
167. Miyamoto, S. 1965. Three new species of the Cimicomorpha from Japan (Hemiptera). Sieboldia Acta Biol. 3: 271-276.
168. Muraleedharan, N. 1974. The genus *Buchananiella* Reuter from India with description of a new species (Heteroptera: Anthocoridae). Orient. Insects 8(1): 33-35.
169. Muraleedharan, N. 1978. Some genera of Anthocorinae (Heteroptera: Anthocoridae) from South India. Entomon 2(2): 231-236.
170. Muraleedharan, N. and T. N. Ananthakrishnan. 1974. New and little-known species of *Orius* Wolff from India (Hemiptera: Anthocoridae). Orient. Insects 8(1): 37-41.
171. Narayanan, E.S. and S. Chatterji. 1952. A new species of *Triphleps* (Hemiptera, Heteroptera: Anthocoridae) predaceous on storage pests in India. Proc. Zool. Soc. Bengal 5: 163-166.
172. Parshley, H.M. 1917. A species of *Macrotracheliella* found in New England. Entomol. News 28: 37-38.
173. Parshley, H.M. 1920. Hemiptera from Peaks Island, Maine, collected by Mr. G.A. Moore. Can. Entomol. 52: 80-87.
174. Peet, W.B. Jr. 1973. Biological studies on *Nidicola marginata* (Hemiptera. Anthocoridae). Ann. Entomol. Soc. Am. 66(2): 344-348.
175. Pericart, J. 1965. Contribution a la faunistique de la Corse: Heteropteres Miridae et Anthocoridae. Bull. Mens. Soc. Linn. Lyon 34: 377-384.
176. Pericart, J. 1966. *Acomporis pygmaeus* (Fallen) et *A. alpinus* Reuter constituent-ils deux especes distinctes? (Het.: Anthocoridae). Bull. Soc. Entomol. France 71: 186-199.
177. Pericart, J. 1967a. *Anthocoris nigrellus* Zetterstedt 1838, *Anthocoris nigricornis* Zetterstedt 1838 and *Lygaeus pygmaeus* Fallen 1807 (Insecta: Hemiptera): proposed designation of neotypes under the plenary powers. Bull. Zool. Nomenclature 23: 121-123.
178. Pericart, J. 1967b. Comments on the proposed designation of neotypes for four hemipteran species. Bull. Zool. Nomenclature 24: 195.
179. Pericart, J. 1967c. Note au sujet des caracteres subgeneriques chez les *Orius* palearctiques (Het.: Anthocoridae). Bull. Mens. Soc. Linn. Lyon 36: 148-154.
180. Pericart, J. 1968. Note a propos de la capture de *Buchananiella continua* (B.White) et *d'Elatophilus crassicornis* Reuter en Italie du nord. Redescription de ces especes (Het., Anthocoridae). Fragm. Entomol. F: 299-311.
181. Pericart, J. 1969. Description de quelques heteropteres Anthocoridae et Microphysidae nouveaux d'Union Sovietique. Ann. Soc. Entomol. France 5: 569-583.

182. Pericart, J. 1970. Designations de neotypes, lectotypes et paralectotypes pour diverses especes palearctiques d'Anthocoridae et Microphysidae (Hemiptera). Ann. Soc. Entomol. France 6: 733-755.
183. Pericart, J. 1971. Observations diverses et nouvelles synonymies concernant les Anthocoridae et Microphysidae palearctiques (Heteroptera). Bull. Mens. Soc. Linn. Lyon 40: 93-114.
184. Pericart, J. 1972. Hemipteres Anthocoridae, Cimicidae et Microphysidae de l'ouest-palearctique. Faune de l'Eur. Bassin med. 7: 1-402.
185. Peska, W. 1931. Beobachtungen ueber die Biologie der raeuberischen Wanze *Anthocoris nemorum* L. Pr. Wydz. Chorob. Rosl. Panst., Inst. Nauk Gosp. Wiejsk. Bydgoszczy 10: 53-71.
186. Piasecka, J. 1969. The biology and behavior of *Anthocoris gallarum-ulmi* (Deg.) (Heteroptera, Anthocoridae). Ann. Univ. Mariae Curie-Sklodowska (Sect. C Biol.) 24: 269-277.
187. Poppius, B. 1909. Beitrage zur Kenntnis der Anthocoriden. Acta soc. Sci. Fenn. 37(9): 1-43.
188. Poppius, B. 1910a. Ueber einige Anthocoriden aus Ceylon (Hemiptera. Heteroptera). Entomol. Z. Wien 29: 139-140.
189. Poppius, B. 1910b. Miridae, Anthocoride, Termatophylidae, Microphysidae und Nabidae. In Sjoestedts, Kilimandjaro-Meru-Expedition. 12(4): 25-60.
190. Poppius, B. 1911. Entomol. Z. Wien 30:99.
191. Poppius, B. 1913. Eine neue suedafrikanische *Triphleps*-Art (Hemiptera Anthocoridae). Entomol. Z. Wien 32: 130.
192. Poppius, B. 1914. Zur Kenntnis der Miriden, Anthocoriden und Nabiden Javas und Sumatras. Tijdschr. Entomol. 56(suppl.): 100-187.
193. Poppius, B. 1915. H. Suters Formosa-Ausbeute: Nabidae, Anthocoridae, Termatophylidae, Miridae, Isometopidae und Ceratocombidae. Arch. Naturges. Ser. A 80(8): 1-80.
194. Poppius, B. 1920. Insectes Hemipteres. IV. Nabididae et Anthocoridae. Voyage Alluaud et Jeannel, paris. pp. 315-333.
195. Poppius, B. 1913a. Beitrage zur Anthocoriden-Fauna von central und nord Amerika. Ann. Soc. Entomol. Belge 57: 11-15.
196. Poppius, B. 1913b. . Zur Kenntnis der Miriden, Isometopiden, Anthocoriden, Nabiden und Schizopteriden Ceylons. Entomol. Tidskr. 4: 239-260.
197. Provancher, L. 1886. Petite Faune Entomologique du Canada. Les Hemipteres. Nat. Can. 3: 1-292.
198. Puton, A. 1896. Hemipteres nouveaux. Rev. Entomol. 15: 232-234.
199. Quayle, H.J. 1912. Red spiders and mites of citrus trees. Agric. Exp. Stn. Calif. Bull. 234: 483-530.
200. Rajasekhara, K. 1973. A new species of *Blaptostethus* from Mysore, India. Ann. Entomol. Soc. Am. 66(1): 86-87.
201. Rajasekhara, K. and S. Chatterji. 1970. Biology of *Orius indicus* (Hemiptera: Anthocoridae) a predator of *Taeniothrips nigricornis* (Thysanoptera). Ann. Entomol. Soc. Am. 63(2): 364-367.
202. Rao, V.P. and M.A. Ghani. 1972. Studies on predators of *Adelges* spp. in the Himalayas. Misc. Publ. Commonw. Inst. Biol. Control 3: 1-116.
203. Redfern, M. 1968. The natural history of spear thistle-heads (Tingid and Anthocorid). Field Stud. 2(5): 669-717.

204. Reuter, O.M. 1875. Genera Cimicidarum Europae. Bih. Svenska Vet.-Ak. Handl. III: 1-66.
205. Reuter, O.M. 1884. Mongraphia Anthocoridarum orbis terrestris. Acta Soc. Sci. Fenn. 14: 1-294.
206. Reuter, O.M. 1909. Anthocoridae novae discriptae. Ofv. Finska Vet. Soc. Foerh. 51: 1-7.
207. Reuter, O.M. 1912. Bemerkungen ueber mein neues Heteropterensystem. Ofv. Finska Vet soc. Foerh. 54: 1-62.
208. Ribaut, H. 1937. Espèces d'Hemipteres nouvelles pour la France (Quatrieme liste). Bull. Soc. Hist. Nat. Toulouse 71: 247-251.
209. Roubal, J. 1969. Biotexonomisches und Chorologisches ueber die Arten der Gattung *Orius* Wolff, 1811 (*Triphleps* Fieber 1860) Hemiptera-Heteroptera aus der Tschechoslowakei. Acta Entomol. Mus. Natl. Prague 38: 115-126.
210. Royer, M. 1926. Un Anthocoride (Hemiptera Heteroptera) occasionellement piquer pour l'homme. Bull. Assoc. nat. Vallee Loing 9: 152-153.
211. Ruhoff 1963. Proc. Entomol. Soc. Wash. 65:
212. Ryckman, R.E. and M.A. Casdin. 1977. The Polycetenidae of the world, a checklist with bibliography. Calif. Vector Views 24(7-8): 25-31.
213. Sahlberg, J. 1920. Enumeratio Hemiperorum Heteropterorum faunae fennicae (2<sup>nd</sup> ed.). Bidr. Kaenn. Finlands 79(2): 1-227.
214. Sands, W.A. 1957. The immature stages of some British Anthocoridae (Hemiptera). Trans. R. Entomol. Soc. London 109: 295-310.
215. Saunders, H.A. 1907. *Anthocoris limbatus*, Fieb. an addition to the British Hemiptera. Entomol. Mon. Mag. 18: 233.
216. Schumacher, F. 1913. Ein Beitrag zur Kenntnis der Rhynchoten-Fauna Suedafrikas, insbesondere von Deutsche-Suedwestafrika Klein-Namaland und dem Kalaharigebiet, auf Grund der Expeditionsergebnisse von Hr. Prof. L. Schultze u. dem Material des Kgl. Zool. Mus. zu Berlin. In Schultze, L. Zool. u. anthrop. Ergebnisse e. Forschungsreise in Suedafrika. Bd. 5; L. 2; Denkschr. Med.-Naturw. Ges. Jena 17: 49-88.
217. Seidenstuecker, G. 1950. Ueber *Myrmedobia* Baerensprung. Senckenb. Biol. 31: 287-296.
218. Sienkiewicz, I. 1964a. The catalogue of the A.L. Montandon Collection of Palearctic Heteroptera preserved in the Grigore Antipa Mus. Nat. Hist., Bucharest.
219. Sienkiewicz, I. 1964b. Heteropteres nouveaux pour la faune de Roumanie. Ann. Univ. Mariae Curie-Sklodowska Ser. C Biol. 19(5): 95-100.
220. Sienkiewicz, I. 1965. Three new species of Anthocoridae for the Rumanian fauna. Trav. Mus. Hist. Nat. (Grigore Antipa) 5: 491-494.
221. Slater, J.A. (unpubl.) Hemiptera of Connecticut. Anthocoridae.
222. Southwood, T.R.E. and D. Leston. 1959. Land and Water Bugs of the British Isles. London: Fr. Warne & Co. 436pp.
223. Southwood, T.R.E. and G.G.E. Scudder. 1956. The immature stages of the Hemiptera-Heteroptera associated with the stinging nettle (*Urtica dioica* L.). Entomol. Mon. Mag. 92: 313-325.
224. Spooner, C.S. 1938. The Phylogeny of the Hemiptera Based on a Study of the Head Capsule. Urbana: U. Illinois Press. 102pp.

225. Stichel, W. 1958. Illustrierte Bestimmungstabellen der Deutschen Wanzen (Hemiptera-Heteroptera). 3(1).
226. Stichel, W. 1959. Illustrierte Bestimmungstabellen der Deutschen Wanzen. II. Europa (Hemiptera-Heteroptera Europae). Lucka: Reinhold Berger.
227. Stys, P. 1956. A contribution to the knowledge of the Heteroptera of Czechoslovakia. Acta Mus. Silesiae Ser. A Sci. Nat. 5: 43-46.
228. Stys, P. 1959. *Elatophilus (Elatophilus) roubali* n.sp., a new species of Anthocoridae from Czechoslovakia (Heteroptera). Acta Soc. Entomol. Cech. 56: 65-68.
229. Stys, P. 1960a. *Acompocoris pilipes* n.sp., a new species of Anthocoridae from Central Asia. Acta Univ. Carol. Biol. pp. 55-60.
230. Stys, P. 1960b. Die Wanzenfauna des Mooregebietes Soos in Boehmen (Heteroptera). Acta Univ. Carol. Biol. Suppl.: 83-133.
231. Stys, P. 1962. Venation of metathoracic wings and notes on the relationships of Microphysidae (Heteroptera). Acta Soc. Entomol. Cech. 59(3): 234-239.
232. Stys, P. 1967. *Lipokophila chinae* gen.n., sp.n., - a new genus of Plokiophilidae (Heteroptera) from Brazil. Acta Entomol. Bohemoslov. 64: 248-258.
233. Stys, P. 1972. *Nabidomorpha* Poppius transferred from Plokiophilidae to Anthocoridae. Acta Entomol. Bohemoslov. 69(2): 110-118.
234. Stys, P. 1973a. Suprageneric nomenclature of Anthocoridae. Acta Univ. Carol. Biol. Pp. 159-162.
235. Stys, P. 1973b. Cases of facultative parasitism of Lyctocorinae (Heteroptera: Anthocoridae) on man in Czechoslovakia. Folia Parasitol. (Prague). 20: 103-104.
236. Stys, P. 1976. Faunistic records from Czechoslovakia. Acta Entomol. Bohemoslov. 73: 348.
237. Stys, P. and M. Daniel. 1957. *Lyctocoris campestris* (F.) (Het., Anthocoridae) as a human facultative ectoparasite. Acta Soc. Entomol. Cech. 54: 1-10.
238. Tamaki, G. and R.E. Weeks. 1968. *Anthocoris melanocerus* as a predator of the green peach aphid on sugar beets and broccoli. Ann. Entomol. Soc. Am. 61(3): 579-584.
239. Tamanini, I. 1958. Punture sull'uomo ad opera dell'*Orius majusculus* Rt. (Hem. Het. Anthocoridae). Boll. Soc. Entomol. Ital. 88(7-8): 124.
240. Tamanini, I. 1961. Interessanti reperti emitterologici pella Venezia Tridentina (Hemiptera, Heteroptera). Studi Trentini Sci. Nat. Sez. B Biol. 31: 67-130.
241. Torre-Bueno, J.R. 1930. Records of Anthocoridae, particularly from New York. Bull. Brooklyn Entomol. Soc. 25: 11-20.
242. Torre-Bueno, J.R. 1931. Biting bugs (*Anthocoris musculus*). Bull. Brooklyn Entomol. Soc. 26(4): 176.
243. Traegardh, I. 1914. Skogsentomologiska bidrag 1-5. Entomol. Tidskr. 35: 188-209.
244. Ueshima, N. 1968a. New species of *Paracimex* (Cimicidae: Hemiptera). Pan-Pac. Entomol. 44: 47-50.
245. Ueshima, N. 1968b. Distribution, host relationships and speciation of the genus *Paracimex* (Cimicidae: Hemiptera). Mushi 42: 15-27.
246. Ueshima, N. 1968c. New species and records of Cimicidae with keys (Hemiptera). Pan-Pac. Entomol. 44: 264-279.

247. Ueshima, N. 1972. New World Polyctenidae (Hemiptera) with special reference to Venezuelan species. Brigham Young Univ. Sci. Bull. 27(1): 13-21.
248. Usinger, R.L. 1946. Polyctenidae. In China, W.E. (ed.) General Catalogue of the Hemiptera. Fasc. V. Northampton, MA: Smith College.
249. Usinger, R.L. 1946a. Insects of Guam – II. Heteroptera of Guam. Bull. Bishop Mus. 189: 11-103.
250. Usinger, R.L. 1951. Heteroptera of the Marshall Islands. Proc. Hawaii Entomol. Soc. 14(2): 315-321.
251. Usinger, R.L. 1966. Monograph of Cimicidae. Baltimore: Thomas Say Foundation, Entomol. Soc. Am.
252. Usinger, R.L. and J. Carayon 1967. Un hemiptere Cimicidae nouveau d’Afrique centrale. Bull. Inst. Fondam. Afr. Noire Ser. A Nat. Sci. 29(4): 1689-1694.
253. Usinger, R.L. and J.-C. Beaucournu. 1967. Sur deux *Cimex* (Insecta, Heteroptera) nouveaux pour la faune française, parasites des chauves-souris. Ann. Parasitol. Hum. Comp. 42(2): 269-271.
254. Van Dinter, J.B.M. 1953. Les punaises du murier sauvage. Tijdschr. Entomol. 96: 199-217.
255. Van Duzee, E.P. 1912. Synonymy of the Provancher collection of Hemiptera. Can. Entomol. 44(11): 317-329.
256. Van Duzee, E.P. 1914. A preliminary list of the Hemiptera of San Diego county, California. Trans. Calif. Soc. Nat. Hist. 2: 1-57.
257. Van Duzee, E.P. 1917. Catalogue of the Hemiptera of America North of Mexico excepting the Aphidae, Coccidae and Aleurodidae. Berkeley: Univ. Calif. Tech. Bull. Entomol. 902pp.
258. Van Duzee, E.P. 1921. Characters of eight new species of North American Anthocoridae or flower bugs. Proc. Calif. Acad. Sci. 11(4): 137-144.
259. Villiers, A. 1952. Hemipteres de l’afrique noire. Bull. Inst. Fondam. Afr. Noire Ser. A Sci. Nat. 9: 1-256.
260. Villiers, A. 1956. Contribution a l’etude du peuplement de la Mauritanie: description de nouveaux Hemipteres. Bull. Inst. Fondam. Afr. Noire Ser. A Sci. Nat. 18: 834-842.
261. Villiers, A. 1968. A propos de la description d’Hemipteres ouest-africains. Bull. Inst. Fondam. Afr. Noire Ser. A Sci. Nat. 30: 1281-1285.
262. Wagner, E. 1949a. Entomon 1: 183
263. Wagner, E. 1949b. *Ectemnus nigriceps* nov. spec., a new species of Anthocoridae. Acta Entomol. Mus. Natl. Prague 26(364): 1-2.
264. Wagner, E. 1951. Neue Wanzen-Arten aus Aegypten (Hemiptera-Heteroptera). Bull. Soc. Fouad Entomol. 35: 141-144.
265. Wagner, E. 1952a. Neuer Beitrag zur Systematik der Gattung *Temnostethus* Fieb. (Hemiptera-Heteroptera: Anthocoridae). Mitt. Muench. Entomol. Ges. 42: 158-161.
266. Wagner, E. 1952b. Die europaischen Arten der Gattung *Orius* Wff. (Hemiptera Heteroptera Anthocoridae). Not. Entomol. 32: 22-59.
267. Wagner, E. 1954a. Entomologische Ergebnisse der finnlaendischen Kannaren-Expedition 1947-1951. 2. Neue Heteropteren von den Kanarischen Inseln. Commentat. Biol. Soc. Sci. Fenn. 14(2): 1-28.

268. Wagner, E. 1954b. Eine neue Anthocoriden-Art aus Mittelitalien (Hemiptera. Heteroptera). Boll. Soc. Entomol. Ital. 84: 151-152.
269. Wagner, E. 1954c. *Orius laevigatus* inaequalis E. Wagner aus Aegypten (Hemiptera-Heteroptera). Bull. Soc. Fouad Entomol. 38: 209-210.
270. Wagner, E. 1954d. Eine neue *Orius*-Art aus Palaestina (Hemiptera-Heteroptera: Anthocoridae). Bull. Soc. Fouad Entomol. 38: 225-226.
271. Wagner, E. 1955a. Eine Heteropteran-Ausbeute vom Monte Aetna. Mem. Soc. Entomol. Ital. 33: 69-119.
272. Wagner, E. 1955b. *Acompocoris montanus* (Hemiptera. Heteroptera. Anthocoridae). Entomol. Nachr. 7: 20-22.
273. Wagner, E. 1955c. *Lyctocoris nidicola* n.sp., eine neue Anthocoriden-Art aus Finnland (Hemiptera Heteroptera). Not. Entomol. 35: 60-62.
274. Wagner, E. 1955d. Nachtrag zu meiner arbeit; Eine neue *Orius*-Art aus Palaestina. Bull. Soc. Entomol. Egypt 39: 335.
275. Wagner, E. 1955e. Ergebnisse einer Durchsicht der Sammlung Rey. Nachrichtenbl. Naturwiss. Mus. Aschaffenburg 48: 25-36.
276. Wagner, E. 1957a. Sur le male, jusqu'alors inconnu d'*Orius brevicollis* Rey (Hemiptera. Heteroptera. Anthocoridae). Cah. Nat. 13: 33-34.
277. Wagner, E. 1957b. Ergebnisse der Zoologischen Forschungsreise von Prof. Dr. Haken Lindberg nach den Kapverdischen Inseln im Winter 1953-1954. 8. Zwei neue Anthocoriden-Arten von den Kap-Verden Inseln (Hemiptera-Heteroptera). Commentat. Biol. Soc. Sci. Fenn. 16(2): 1-5.
278. Wagner, E. 1958a. Beitrag zur Systematik der Gattung *Anthocoris* Fallen (Hem. Het. Anthocoridae). Nachrichtenbl. Bayer. Entomol. 6: 101-112.
279. Wagner, E. 1958b. In Espanol, F. Contribucion al conocimiento de los artropodos y moluscos terrestres de las Islas Columbretes. Misc. Zool. 1(1): 3-37.
280. Wagner, E. 1960. *Anthocoris pemphigi* nov. spec., eine neue Anthocoriden-Art aus Aegypten (Hemiptera-Heteroptera: Anthocoridae). Bull. Soc. Entomol. Egypt 44: 91-92.
281. Wagner, E. 1961a. *Xylocoris heluanensis* n.sp., eine neue Anthocoriden-Art aus Aegypten. Bull. Soc. Entomol. Egypt 45: 301-303.
282. Wagner, E. 1961b. Ungleichfluegler, Wanzen, Heteroptera (Hemiptera) (Neubearb.). Tierwelt Mitteleur. 4(3): 1-173.
283. Wagner, E. 1967. Wanzen oder Heteropteren. 2. Cimicomorpha. Die Tierwelt Deutschlands etc., Gustav Fischer Verlag. Jena. Teil. 55: 1-179.
284. Wagner, E. and J. Pericart. 1968. Etablissement de deux synonymies parmi les especes d'*Orius* palearctiques (Heteroptera: Anthocoridae). Bull. Mens. Soc. Linn. Lyon 37: 213-214.
285. Walker, E.F. 1872. Catalogue of the specimens of Hemiptera Heteroptera in the collection of the British Museum. London, Part V.
286. Woodroffe, G. E. 1971. *Temnostethus tibialis* Reuter in Britain. Entomol. Mon. Mag. 107: 170-171.
287. Woodward, T.E. 1951. A case of persistent attacks on a human by *Lyctocoris campestris* (F.) (Hemiptera, Anthocoridae). Entomol. Mon. Mag. 87: 44.

288. Woodward, T.E. 1977. The occurrence of Almeidini (Hemiptera: Anthocoridae) in Australia with the description of a new genus. *Syst. Entomol.* 2(3): 255-260.
289. Wu, C.F. 1935. *Catalogus insectorum sinensium*. Vol. II. Peking: Fan Mem. Inst. Biol. 634pp.
290. Zacher, F. 1923. Wanzen im Auslandsgetreide. *Arb. Biol. Reichsanst. Landw. Forstw.* 12: 236-242.
291. Zetterstedt, J.W. 1838. *Insecta lapponica descripta*, Ordo III, Hemiptera. Pp. 257-314.
292. Zimmerman, E.C. 1948. *Insects of Hawaii*. Vol. III, Heteroptera. Honolulu: Univ. Hawaii Press. 255pp.